

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	708	ethernet near5 phone	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:38
L2	35646	((ethernet internet) near5 (phone telephone)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:38
L3	62	((ethernet internet) near5 (phone telephone)) same cradle	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:38
L4	0	((ethernet internet) near5 (phone telephone)) same cradle), same (authentication authorize)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:38
L5	793	((ethernet internet) near5 (phone telephone)) same (authentication authorize)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:38
L6	11	((ethernet internet) near5 (phone telephone)) same (authentication authorize)) and cradle	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:38
L7	1	"6161134".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:38
L8	0	((ethernet internet) near5 (phone telephone)) same (authentication authorize)) and "6161134".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:38
L9	1	"6161134".pn. and (cradle lan pda authentication)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:38
L10	2	("5497339"   "5606594").PN.	USPAT	OR	ON	2005/11/28 10:38
L11	2	((("5497339"   "5606594").PN.) and (cradle lan pda authentication)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:38
L12	0	((("5497339"   "5606594").PN.) and (authentication)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:38
L13	12835	( user near2 authentication)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:38
L14	2155	(( user near2 authentication)) and ((ethernet internet) near5 (phone telephone))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:38
L15	2155	(( user near2 authentication)) and ((ethernet internet) near5 (phone telephone))) and (cradle lan pda authentication)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:38
L16	1114	(( user near2 authentication)) and ((ethernet internet) near5 (phone telephone))) and (cradle lan)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:38

L17	15	(( ( user near2 authentication)) near100 ((ethernet internet) near5 (phone telephone))) and (cradle lan)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:38
L18	32	(( ( user near2 authentication)) near100 ((ethernet internet) near5 (phone telephone)))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:38
L19	2	(AAA near2 infrastructure) and voip	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L20	144	ethernet adj phone	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L21	66	(ethernet adj phone) and voip	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L22	46	AAA near2 infrastructure	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L23	0	backend near2 AAA near2 infrastructure	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L24	2	backend near2 AAA	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L25	991	authentication near5 AAA	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L26	157	(authentication near5 AAA ) and (voip (ethernet adj phone))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L27	1	"6311218".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L28	102017	aaa nd "6311218".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L29	0	aaa and "6311218".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L30	1	authentication and "6311218".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L31	8	linkbeat	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L32	0	((authentication near5 AAA ) and (voip (ethernet adj phone))) and phonebooth	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39

L33	8	phonebooth	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L34	208	phone adj booth	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L35	0	((phonebooth or (phone adj booth)) and ((authentication near5 AAA ) and (voip (ethernet adj phone)))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L36	2	((phonebooth or (phone adj booth)) and (voip (ethernet adj phone)))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L37	40	((phonebooth or (phone adj booth)) and (internet same (phone telephone)))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L38	99	((phonebooth or (phone adj booth) or kiosk) and (voip (ethernet adj phone)))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L39	7	((phonebooth or (phone adj booth) or kiosk) and (voip (ethernet adj phone))) and (cradle near30 pda)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L40	72	((phonebooth or (phone adj booth) or kiosk) and (cradle near30 pda))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L41	63	((phonebooth or (phone adj booth) or kiosk) and (cradle near30 pda)) and phone	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L42	1	"5497339".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L43	1	"5497339".pn. and (ethernet lan network)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L44	1	"5497339".pn. and (cradle ethernet lan network)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L45	59	((phonebooth or (phone adj booth) or kiosk) and (voip (ethernet adj phone))) and authentication	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L46	38	((phonebooth or (phone adj booth) or kiosk) and (voip (ethernet adj phone))) and authentication) and port	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L47	2	((authentication near5 AAA ) and (voip (ethernet adj phone))) and (billing same (user adj (id identification)))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L48	14	((authentication near5 AAA ) and (voip (ethernet adj phone))) and (billing same ((id identification)))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39

L49	17	(authentication and AAA) and (voip (ethernet adj phone)) and (billing same ((id identification)))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L50	76	(authentication and AAA) and (voip (ethernet adj phone)) and (billing)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L51	144	ethernet adj phone	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L52	1	"20030138061".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L53	0	L52 and (password authentication authorize)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L54	0	L52 and (login)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L55	0	L52 and (billing)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L56	0	L52 and (port socket)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L57	1	"6161134".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L58	1	"6128663".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L59	5	((internet ethernet) adj phone) voip) same (bill\$3) same (user adj (id identification))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L60	48	((internet ethernet) adj phone) voip) and ((bill\$3) same (user adj (id identification)))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L61	1	"6704309".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L62	1	L61 and (authentication authorize password (user adj id))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L63	1	L61 and (authentication authorize password billing (user adj id))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L64	1	"5497339".pn. and cradle	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39

L65	205	(lan same (hub switch) same pstn) and (voip (internet adj phone))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L66	0	(lan same (hub switch) same pstn same (authenticate authorize billing password)) and (voip (internet adj phone))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L67	99	(lan same (hub switch) same pstn )and (authenticate authorize billing password)) and (voip (internet adj phone)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L68	39	L67 and @ad<"20000814"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L69	0	"6466977".pn. and lan	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L70	1	"6466977".pn. and network	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L71	0	"6466977".pn. and bill\$3	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L72	0	L61 and aaa	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L73	1	"5497339".pn. and (lan ethernet serial)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L74	0	"5497339".pn. and (lan ethernet )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L75	0	serial adj lan adj converter	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L76	35	serial adj lan	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L77	2076	serial near10 lan	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L78	3	L77 same (pda same phone)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L79	197	(ethernet near phone)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L80	9	L79 same (cradle base)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39

L81	3	L79 same (authentication\$4 authorization\$4)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L82	1	"6161134".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L83	2	("5606594" "5497339").pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L84	0	(L83 or L82) and ((authentication authentication\$3 authorization authorization\$3))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L85	1	(L83 or L82) and (password (user adj id) userid)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L86	2	("6466977" "5497339").pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L87	1	("5859959").pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L88	3	(L83 or L86 or L87) and ((connection link port call) near5 (close\$3 (shut near (down off))) disconnect\$4 end\$3 monitor\$3)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L89	708	ethernet near5 phone	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L90	35646	(ethernet internet) near5 (phone telephone)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L91	62	((ethernet internet) near5 (phone telephone)) same cradle	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L92	0	((ethernet internet) near5 (phone telephone)) same cradle) same (authentication authorize)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L93	793	((ethernet internet) near5 (phone telephone)) same (authentication authorize)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L94	0	((ethernet internet) near5 (phone telephone)) same (authentication authorize) and "6161134".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L95	0	((("5497339"   "5606594").PN.) and (authentication)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L96	12835	( user near2 authentication)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39

L97	2155	(( user near2 authentication)) and ((ethernet internet) near5 (phone telephone))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L98	2155	(( (user near2 authentication)) and ((ethernet internet) near5 (phone telephone))) and (cradle lan pda authentication)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L99	1114	(( (user near2 authentication)) and ((ethernet internet) near5 (phone telephone))) and (cradle lan)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L100	15	(( (user near2 authentication)) near100 ((ethernet internet) near5 (phone telephone))) and (cradle lan)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L101	2	(AAA near2 infrastructure) and voip	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L102	144	ethernet adj phone	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L103	66	(ethernet adj phone) and voip	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L104	0	backend near2 AAA near2 infrastructure	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L105	2	backend near2 AAA	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L106	991	authentication near5 AAA	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L107	102017	aaa nd "6311218".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L108	0	aaa and "6311218".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L109	0	((authentication near5 AAA ) and (voip (ethernet adj phone))) and phonebooth	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L110	8	phonebooth	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L111	208	phone adj booth	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L112	0	(phonebooth or (phone adj booth)) and ((authentication near5 AAA ) and (voip (ethernet adj phone)))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39



L113	2	(phonebooth or (phone adj booth)) and (voip (ethernet adj phone))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L114	99	(phonebooth or (phone adj booth) or kiosk) and (voip (ethernet adj phone))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L115	1	"5497339".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L116	59	((phonebooth or (phone adj booth) or kiosk) and (voip (ethernet adj phone))) and authentication	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L117	2	((authentication near5 AAA ) and (voip (ethernet adj phone))) and (billing same (user adj (id identification)))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L118	17	(authentication and AAA) and (voip (ethernet adj phone)) and (billing same ((id identification)))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L119	1	"20030138061".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L120	0	L119 and (password authcation authorize)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L121	0	L119 and (login)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L122	0	L119 and (billing)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L123	0	L119 and (port socket)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L124	1	"6704309".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L125	205	(lan same (hub switch) same pstn) and (voip (internet adj phone))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L126	0	(lan same (hub switch) same pstn same (authenticate authorize billing password)) and (voip (internet adj phone))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L127	99	(lan same (hub switch) same pstn )and (authenticate authorize billing password)) and (voip (internet adj phone)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L128	0	"6466977".pn. and lan	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39



L129	0	"6466977".pn. and bill\$3	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L130	0	L124 and aaa	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L131	0	"5497339".pn. and (lan ethernet )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L132	0	serial adj lan adj converter	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L133	35	serial adj lan	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L134	2076	serial near10 lan	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L135	1	"6161134".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L136	1	"6161134".pn. and (cradle lan pda authentication)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L137	1	"6311218".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L138	1	authentication and "6311218".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L139	1	"5497339".pn. and (ethernet lan network)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L140	1	"5497339".pn. and (cradle ethernet lan network)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L141	1	"6161134".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L142	1	"6128663".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L143	1	L124 and (authentication authorize password (user adj id))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L144	1	L124 and (authentication authorize password billing (user adj id))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39

L145	1	"5497339".pn. and cradle	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L146	1	"6466977".pn. and network	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L147	1	"5497339".pn. and (lan ethernet serial)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L148	11	((ethernet internet) near5 (phone telephone)) same (authentication authorize)) and cradle	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L149	2	("5497339"   "5606594").PN.	USPAT	OR	ON	2005/11/28 10:39
L150	2	((("5497339"   "5606594").PN.) and (cradle lan pda authentication))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L151	32	(( user near2 authentication)) near100 ((ethernet internet) near5 (phone telephone))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L152	46	AAA near2 infrastructure	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L153	8	linkbeat	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L154	40	(phonebooth or (phone adj booth)) and (internet same (phone telephone))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L155	7	((phonebooth or (phone adj booth) or kiosk) and (voip (ethernet adj phone))) and (cradle near30 pda)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L156	72	(phonebooth or (phone adj booth) or kiosk) and (cradle near30 pda)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L157	63	((phonebooth or (phone adj booth) or kiosk) and (cradle near30 pda)) and phone	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L158	38	((((phonebooth or (phone adj booth) or kiosk) and (voip (ethernet adj phone))) and authentication) and port	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L159	14	((authentication near5 AAA ) and (voip (ethernet adj phone))) and (billing same ((id identification)))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L160	76	(authentication and AAA) and (voip (ethernet adj phone)) and (billing)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39

L161	5	((((internet ethernet) adj phone) voip) same (bill\$3) same (user adj (id identification)))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L162	48	((((internet ethernet) adj phone) voip) and ((bill\$3) same (user adj (id identification))))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L163	39	L127 and @ad<"20000814"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L164	3	L134 same (pda same phone)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L165	157	(authentication near5 AAA ) and (voip (ethernet adj phone))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L166	144	ethernet adj phone	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/11/28 10:39
L167	11	("20020160757" "20020165729" "20040010808" "20040203766" "5,646,982" "5,933,477" "6,115,455" "6,618,747" "6,721,784" "6,732,185" "6,782,414").pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/11/28 10:39
L168	1	L167 and topic	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/11/28 10:39
L169	27	topic near2 message near2 (program application software tcp http im)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/11/28 10:39
L170	1	"20040019645".pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/11/28 10:39
L171	1	L170 and (topic filter)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/11/28 10:39
L172	1	"6580971".pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/11/28 10:39
L173	3	("6850971" "6842778" "6823371" ).pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/11/28 10:39
L174	1	("6505255").pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/11/28 10:39